



GUANTES RINGERS BECAUSE THEY'RE WORTH IT.™



www.safety-offshore.com



R-FLEX

NITRILE HALF-DIP | CUT RESISTANT

045



FEATURES

- 01 Breathable knit shell offers cut resistance
- 02 Half dipped nitrile coating on palm
- 03 Excellent tactility and grip on most wet and dry surfaces
- 04 Maximum flexibility and dexterity for all working conditions
- 05 Touchscreen compatible index, middle and thumb tips

ATTRIBUTES



PUNCTURE RESISTANT CUT RESISTANT





360 CUT PROTECTION ABRASION RESISTANT



TOUCHSCREEN COMPATIBLE

TESTING & CERTIFICATIONS



INDUSTRIES

Oil & Gas Construction DIY Mechanics Industrial

WEIGHTS & DIMENSIONS

PART #	SIZE	GLOVE WT (lbs)	GLOVE DIMS (INCH) L x W x H			INNER PACK QTY	INNER PACK WT (lbs)	INNER PACK DIMS (INCH)			CASE QTY	CASE WT (lbs)	CASE DIMS (INCH) L x W x H			
045	XS	07	0.18	9	3.5	0.5	12	2.16	9	3.5	6	120	23.60	19	15	11
045	S	08	0.19	9.5	4	0.5	12	2.28	9.5	4	6	120	24.80	19	15	11
045	M	09	0.19	9.5	4	0.5	12	2.28	9.5	4	6	120	24.80	19	15	11
045	L	10	0.20	10	4.5	0.5	12	2.4	10	4.5	6	120	26.00	19	15	11
045	XL	11	0.20	10	4.5	0.5	12	2.4	10	4.5	6	120	26.00	19	15	11
045	2XL	12	0.21	10.5	5	0.5	12	2.52	10.5	5	6	120	27.20	19	15	11



R-FLEX

NITRILE HALF-DIP

065



FEATURES

- 01** Breathable knit shell offers cut resistance
- 02** TPR impact protection on top of the hand and full length of fingers
- 03** Half-dipped nitrile coating on palm with sandy finish for enhanced grip
- 04** High visibility for increased safety
- 05** Touchscreen compatible index, middle and thumb tips
- 06** Superior grip on wet and dry surfaces

ATTRIBUTES

- PUNCTURE RESISTANT
- CUT RESISTANT
- IMPACT PROTECTION
- HIGH VISIBILITY
- TOUCHSCREEN COMPATIBLE
- RED PALM
- 360 CUT PROTECTION

TESTING & CERTIFICATIONS

EN420

EN388

4X43DP

ANSI/ISEA
105-2016

A4
CUT

INDUSTRIES

Oil & Gas Construction DIY Mechanics Industrial

WEIGHTS & DIMENSIONS

PART #	SIZE	GLOVE WT (lbs)	GLOVE DIMS (INCH) L x W x H			INNER PACK QTY	INNER PACK WT (lbs)	INNER PACK DIMS (INCH)			CASE QTY	CASE WT (lbs)	CASE DIMS (INCH) L x W x H		
065	XS 07	0.35	9	4	1	12	4.2	9	4	12	72	27.20	19	15	11
065	S 08	0.40	9.5	4.5	1	12	4.8	9.5	4.5	12	72	30.80	19	15	11
065	M 09	0.40	9.5	4.5	1	12	4.8	9.5	4.5	12	72	30.80	19	15	11
065	L 10	0.45	10	5	1	12	5.4	10	5	12	72	34.40	19	15	11
065	XL 11	0.45	10	5	1	12	5.4	10	5	12	72	34.40	19	15	11
065	2XL 12	0.50	10.5	5.5	1	12	6	10.5	5.5	12	72	38.00	19	15	11
065	3XL 13	0.50	10.5	5.5	1	12	6	10.5	5.5	12	72	38.00	19	15	11



R-CHEM IMPACT

LONG CUFF


075



FEATURES

- 01** TPR impact protection on top of hand and full length of fingers
- 02** PVC coating for waterproof and chemical resistance
- 03** Inside liner provides all-around cut resistance
- 04** Durable textured palm coating for enhanced grip
- 05** Gauntlet-style cuff to keep debris away from hands

ATTRIBUTES



TESTING & CERTIFICATIONS

<p>EN420 CE</p>	<p>EN388 4X41CP</p>	<p>ANSI/ISEA 105-2016 A3 CUT</p>	<p>EN374-5</p>	<p>EN374-1 TYPE A AJKLMO</p>
---------------------	-------------------------	--	----------------	--------------------------------------

INDUSTRIES

Oil & Gas Construction Industrial

Permeation Table			
Chemical Tested	Letter Code	Permeation Performance	Breakthrough Time
Methanol	A	2	> 30 minutes
n-Heptane	J	2	> 30 minutes
Sodium Hydroxide 40%	K	6	> 480 minutes
Sulphuric Acid 96%	L	3	> 60 minutes
Nitric Acid	M	3	> 60 minutes
Ammonia	O	2	> 30 minutes

WEIGHTS & DIMENSIONS


PART #	SIZE		CUFF LENGTH	GLOVE WT (lbs)	GLOVE DIMS (INCH) L x W x H			INNER PACK QTY	INNER PACK WT (lbs)	INNER PACK DIMS (INCH)			CASE QTY	CASE WT (lbs)	CASE DIMS (INCH) L x W x H		
	S	L			08	10	12			14	6	8			2	2	2
075	S	08	40CM	1.15	14	6	2	2	2.3	14	6	2	24	29.60	20	16	12
075	L	10	45CM	1.20	16	7	2	2	2.4	16	7	2	24	30.80	20	16	12
075	2XL	12	50CM	1.25	17.5	8	2	2	2.5	17.5	8	2	24	32.00	20	16	12




FEATURES

- 01** TPR impact protection on top of hand and full length of fingers
- 02** Secure and adjustable cuff with hook and loop rubber pull tab closure
- 03** Durable synthetic leather palm for enhanced grip
- 04** Wrap-around index finger design protecting vulnerable wear and tear zone
- 05** Cut resistant layer on palm for protection against cut hazards
- 06** High visibility for increased safety

ATTRIBUTES



TESTING & CERTIFICATIONS



INDUSTRIES

Oil & Gas Construction DIY
 Mechanics Industrial

WEIGHTS & DIMENSIONS


PART #	SIZE	GLOVE WT (lbs)	GLOVE DIMS (INCH) L x W x H			INNER PACK QTY	INNER PACK WT (lbs)	INNER PACK DIMS (INCH)			CASE QTY	CASE WT (lbs)	CASE DIMS (INCH) L x W x H			
169	S	08	0.40	8.5	4	1	5	2	8.5	4	10	50	22.00	23	10	12
169	M	09	0.40	8.5	4	1	5	2	8.5	4	10	50	22.00	23	10	12
169	L	10	0.45	9	4.5	1	5	2.25	9	4.5	10	50	24.50	25	11	12
169	XL	11	0.45	9	4.5	1	5	2.25	9	4.5	10	50	24.50	25	11	12
169	2XL	12	0.50	9.5	5	1	5	2.5	9.5	5	10	50	27.00	27	11	12
169	3XL	13	0.50	9.5	5	1	5	2.5	9.5	5	10	50	27.00	27	11	12




FEATURES

- 01** TPR impact protection on top of hand and full length of fingers
- 02** Slip-on elastic cuff allows for easy on and off
- 03** Durable synthetic leather palm for enhanced grip
- 04** Wrap-around index finger design protecting vulnerable wear and tear zone
- 05** Cut resistant layer on palm for protection against cut hazards
- 06** High visibility for increased safety

ATTRIBUTES



TESTING & CERTIFICATIONS



INDUSTRIES

Oil & Gas Construction DIY
 Mechanics Industrial

WEIGHTS & DIMENSIONS

PART #	SIZE	GLOVE WT (lbs)	GLOVE DIMS (INCH) L x W x H			INNER PACK QTY	INNER PACK WT (lbs)	INNER PACK DIMS (INCH)			CASE QTY	CASE WT (lbs)	CASE DIMS (INCH) L x W x H		
179	2XS 06	0.40	9	3.5	1	10	4	9	3.5	10	50	22.00	27	12	11
179	XS 07	0.40	9	3.5	1	10	4	9	3.5	10	50	22.00	27	12	11
179	S 08	0.45	9.5	4	1	10	4.5	9.5	4	10	50	24.50	25	12	11
179	M 09	0.45	9.5	4	1	10	4.5	9.5	4	10	50	24.50	25	12	11
179	L 10	0.50	10	4.5	1	10	5	10	4.5	10	50	27.00	27	12	11
179	XL 11	0.50	10	4.5	1	10	5	10	4.5	10	50	27.00	27	12	11
179	2XL 12	0.55	10.5	5	1	10	5.5	10.5	5	10	50	29.50	29	13	11
179	3XL 13	0.55	10.5	5	1	10	5.5	10.5	5	10	50	29.50	29	13	11



ROUGHNECK[®] CR

SYNTHETIC LEATHER PALM

259



FEATURES

- 01** TPR impact protection on top of hand and full length of fingers
- 02** Durable synthetic leather palm for enhanced grip
- 03** Additional palm layer for enhanced cut resistance
- 04** Kevlar[™] stitched palm
- 05** High visibility for increased safety
- 06** Extended neoprene wrist closure with TPR pull tab

ATTRIBUTES



TESTING & CERTIFICATIONS



INDUSTRIES

- Oil & Gas
- Construction
- Industrial

WEIGHTS & DIMENSIONS

PART #	SIZE	GLOVE WT (lbs)	GLOVE DIMS (INCH) L x W x H			INNER PACK QTY	INNER PACK WT (lbs)	INNER PACK DIMS (INCH)			CASE QTY	CASE WT (lbs)	CASE DIMS (INCH) L x W x H				
259	XS	0.40	9.5	3.5	1	5	2										
259	S	0.45	10	4	1	5	2.25	10	4	10	50	24.50	25	12	13		
259	M	0.45	10	4	1	5	2.25	10	4	10	50	24.50	25	12	13		
259	L	0.50	10.5	4.5	1	5	2.5	10.5	4.5	10	50	27.00	26	12	13		
259	XL	0.50	10.5	4.5	1	5	2.5	10.5	4.5	10	50	27.00	26	12	13		
259	2XL	0.55	11	5	1	5	2.75	11	5	10	50	29.50	28	13	13		
259	3XL	0.55	11	5	1	5	2.75	11	5	10	50	29.50	28	13	13		



ROUGHNECK® CR

BARRIER | SYN. LEATHER PALM


259B



FEATURES

- 01** TPR impact protection on top of hand and full length of fingers
- 02** Durable synthetic leather palm for enhanced grip
- 03** Additional palm layer for enhanced cut resistance
- 04** Waterproof barrier to keep hands dry
- 05** Liquid resistant coating on top of hand
- 06** Extended neoprene wrist closure with TPR pull tab
- 07** High visibility and reflective cuff piping for increased safety

ATTRIBUTES



TESTING & CERTIFICATIONS



INDUSTRIES

- Oil & Gas
- Construction
- Industrial

WEIGHTS & DIMENSIONS


PART #	SIZE	GLOVE WT (lbs)	GLOVE DIMS (INCH) L x W x H			INNER PACK QTY	INNER PACK WT (lbs)	INNER PACK DIMS (INCH)			CASE QTY	CASE WT (lbs)	CASE DIMS (INCH) L x W x H			
259B	S	08	0.55	10	4	1.5	5	2.75	10	4	15	50	29.50	24	12	15
259B	M	09	0.55	10	4	1.5	5	2.75	10	4	15	50	29.50	25	12	15
259B	L	10	0.60	10.5	4.5	1.5	5	3	10.5	4.5	15	50	32.00	25	12	15
259B	XL	11	0.60	10.5	4.5	1.5	5	3	10.5	4.5	15	50	32.00	26	12	15
259B	2XL	12	0.65	11	5	1.5	5	3.25	11	5	15	50	34.50	26	12	15
259B	3XL	13	0.65	11	5	1.5	5	3.25	11	5	15	50	34.50	28	13	15




FEATURES

- 01** TPR impact protection on top of hand and full length of fingers
- 02** PVC coated palm material for maximum grip on wet and dry surfaces
- 03** Extended airprene wrist closure with TPR pull tab
- 04** Kevlar™ stitched palm
- 05** High visibility for increased safety

ATTRIBUTES



TESTING & CERTIFICATIONS



INDUSTRIES

- Oil & Gas
- Construction
- Industrial

WEIGHTS & DIMENSIONS


PART #	SIZE		GLOVE WT (lbs)	GLOVE DIMS (INCH) L x W x H			INNER PACK QTY	INNER PACK WT (lbs)	INNER PACK DIMS (INCH)			CASE QTY	CASE WT (lbs)	CASE DIMS (INCH) L x W x H		
263	XS	07	0.40	9.5	3.5	1	10	4	9.5	3.5	10	50	22.00	25	12	11
263	S	08	0.45	10	4	1	10	4.5	10	4	10	50	24.50	25	12	11
263	M	09	0.45	10	4	1	10	4.5	10	4	10	50	24.50	25	12	11
263	L	10	0.50	10.5	4.5	1	10	5	10.5	4.5	10	50	27.00	25	12	11
263	XL	11	0.50	10.5	4.5	1	10	5	10.5	4.5	10	50	27.00	25	12	11
263	2XL	12	0.55	11	5	1	10	5.5	11	5	10	50	29.50	27	12	11
263	3XL	13	0.55	11	5	1	10	5.5	11	5	10	50	29.50	27	12	11
263	4XL	14	0.60	11.5	5.5	1	10	6	11.5	5.5	10	50	32.00	27	12	11




FEATURES

- 01** TPR impact protection on top of hand and full length of fingers
- 02** TefLoc® grip system on palm resists oil and enhances grip
- 03** Kevlar™ stitched palm
- 04** Extended airprene wrist closure with TPR pull tab
- 05** High visibility for increased safety

ATTRIBUTES



TESTING & CERTIFICATIONS



INDUSTRIES

- Oil & Gas
- Construction
- Industrial

WEIGHTS & DIMENSIONS

PART #	SIZE	GLOVE WT (lbs)	GLOVE DIMS (INCH) L x W x H			INNER PACK QTY	INNER PACK WT (lbs)	INNER PACK DIMS (INCH)			CASE QTY	CASE WT (lbs)	CASE DIMS (INCH) L x W x H		
267	XS	0.40	9.5	3.5	1	5	2	9.5	3.5	10	50	22.00	25	12	12
267	S	0.45	10	4	1	5	2.25	10	4	10	50	24.50	25	12	12
267	M	0.45	10	4	1	5	2.25	10	4	10	50	24.50	25	12	12
267	L	0.50	10.5	4.5	1	5	2.5	10.5	4.5	10	50	27.00	26	12	12
267	XL	0.50	10.5	4.5	1	5	2.5	10.5	4.5	10	50	27.00	26	12	12
267	2XL	0.55	11	5	1	5	2.75	11	5	10	50	29.50	27	13	12
267	3XL	0.55	11	5	1	5	2.75	11	5	10	50	29.50	27	13	12
267	4XL	0.60	11.5	5.5	1	5	3	11.5	5.5	10	50	32.00	27	13	12



ROUGHNECK[®]

BARRIER | TEFLOC[®] PALM


267B




FEATURES

- 01** TPR impact protection on top of hand and full length of fingers
- 02** TefLoc[®] grip system on palm resists oil and enhances grip
- 03** Waterproof barrier to keep hands dry
- 04** Extended neoprene wrist closure with TPR pull tab
- 05** Kevlar[™] stitched palm
- 06** High visibility and reflective cuff piping for increased safety

ATTRIBUTES



TESTING & CERTIFICATIONS



INDUSTRIES

- Oil & Gas
- Construction
- Industrial

WEIGHTS & DIMENSIONS

PART #	SIZE	GLOVE WT (lbs)	GLOVE DIMS (INCH) L x W x H			INNER PACK QTY	INNER PACK WT (lbs)	INNER PACK DIMS (INCH)			CASE QTY	CASE WT (lbs)	CASE DIMS (INCH) L x W x H			
267B	S	08	0.55	9.5	4	1.5	5	2.75	9.5	4	7.5	50	29.50	25	12	15
267B	M	09	0.55	9.5	4	1.5	5	2.75	9.5	4	7.5	50	29.50	25	12	15
267B	L	10	0.60	10	4.5	1.5	5	3	10	4.5	7.5	50	32.00	26	12	15
267B	XL	11	0.60	10	4.5	1.5	5	3	10	4.5	7.5	50	32.00	26	12	15
267B	2XL	12	0.65	10.5	5	1.5	5	3.25	10.5	5	7.5	50	34.50	28	13	15
267B	3XL	13	0.65	10.5	5	1.5	5	3.25	10.5	5	7.5	50	34.50	28	13	15




FEATURES

- 01** TPR impact protection on top of hand and full length of fingers
- 02** KevLoc grip system on palm and fingers enhances grip
- 03** Kevlar™ stitched palm
- 04** Extended airprene wrist closure with TPR pull tab
- 05** High visibility for increased safety

ATTRIBUTES



TESTING & CERTIFICATIONS



INDUSTRIES

- Oil & Gas
- Construction
- Industrial

WEIGHTS & DIMENSIONS

PART #	SIZE	GLOVE WT (lbs)	GLOVE DIMS (INCH) L x W x H			INNER PACK QTY	INNER PACK WT (lbs)	INNER PACK DIMS (INCH)			CASE QTY	CASE WT (lbs)	CASE DIMS (INCH) L x W x H			
297	XS	07	0.40	9.5	3.5	1	5	2	9.5	3.5	10	50	22.00	24	12	12
297	S	08	0.45	10	4	1	5	2.25	10	4	10	50	24.50	24	12	12
297	M	09	0.45	10	4	1	5	2.25	10	4	10	50	24.50	24	12	12
297	L	10	0.50	10.5	4.5	1	5	2.5	10.5	4.5	10	50	27.00	25	12	12
297	XL	11	0.50	10.5	4.5	1	5	2.5	10.5	4.5	10	50	27.00	25	12	12
297	2XL	12	0.55	11	5	1	5	2.75	11	5	10	50	29.50	26	12	12
297	3XL	13	0.55	11	5	1	5	2.75	11	5	10	50	29.50	26	12	12
297	4XL	14	0.60	11.5	5.5	1	5	3	11.5	5.5	10	50	32.00	26	12	12



ROUGHNECK[®]

CUT RESISTANT | KEVLOC PALM

299





FEATURES

- 01** TPR impact protection on top of hand and full length of fingers
- 02** KevLoc grip system on palm and fingers enhances grip
- 03** Additional palm layer for enhanced cut resistance
- 04** Extended airprene wrist closure with TPR pull tab
- 05** Kevlar™ stitched palm
- 06** High visibility for increased safety

ATTRIBUTES



TESTING & CERTIFICATIONS



INDUSTRIES

- Oil & Gas
- Construction
- Industrial

WEIGHTS & DIMENSIONS

PART #	SIZE	GLOVE WT (lbs)	GLOVE DIMS (INCH) L x W x H			INNER PACK QTY	INNER PACK WT (lbs)	INNER PACK DIMS (INCH)			CASE QTY	CASE WT (lbs)	CASE DIMS (INCH) L x W x H			
299	S	08	0.45	10	4	1	10	4.5	10	4	10	50	24.50	26	12	12
299	M	09	0.45	10	4	1	10	4.5	10	4	10	50	24.50	26	12	12
299	L	10	0.50	10.5	4.5	1	10	5	10.5	4.5	10	50	27.00	26	12	12
299	XL	11	0.50	10.5	4.5	1	10	5	10.5	4.5	10	50	27.00	26	12	12
299	2XL	12	0.55	11	5	1	10	5.5	11	5	10	50	29.50	26	12	12
299	3XL	13	0.55	11	5	1	10	5.5	11	5	10	50	29.50	26	12	12



POWERED BY **F3** TECHNOLOGY



LADA SIN COSTO 01 800 024 27 71